Andrew Vosburg House (Apsley House) 302 East Church Street Lock Haven Clinton County Pennsylvania

HABS No. PA-1303

PA,
18-LOKHA,

PHOTOGRAPHS

REDUCED COPIES OF MEASURED DRAWINGS
WRITTEN HISTORICAL AND DESCRIPTIVE DATA

Historic American Buildings Survey
National Park Service
Department of the Interior
Washington, D.C. 20240

Historic American Buildings Survey

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

HARRE

ADCIUTECTUDAL DATA ECDA

STATE	COUNTY		TOWN OR VICINITY	
Pennsylvania	Cli	inton	Lock Haven	
HISTORIC NAME OF STRUCTU	RE (INCLUOE SOURCE FOR	NAME)	HABS NO.	
Andrew Vosburg House			PA-1303	
SECONDARY OR COMMON NA	MES OF STRUCTURE		-	
Apsley House				
COMPLETE ADDRESS (DESCR.		SITES)		
302 East Church Stree	t			
DATE OF CONSTRUCTION //N	CLUDE SDURCE)	ARCHITECT(S) (IA	ICLUDE SOURCE)	
ca. 1852		Builder,	Henry Hipple	
SIGNIFICANCE (ARCHITECTU				
			ound in Lock Haven in the es are either gone or at this	
point in time, highly		or these exampr	es are elther gone or at this	
STYLE (IF APPROPRIATE)	·			
MATERIAL OF CONSTRUCTIO	N UNCLUOF STRUCTURAL.	SYSTEMS)		
			u sat in mantan	
Brick bearing walls.	Foundation is local	rubble randoml	y set in mortar.	
Brick bearing walls. SHAPE AND DIMENSIONS OF	Foundation is local STRUCTURE (SKETCHEO FL	rubble randoml		
Brick bearing walls. SHAPE AND DIMENSIONS OF: L shaped, (5-bay from	Foundation is local STRUCTURE (SKETCHEO FL t) 40'4" x 32' x 6"	rubble randoml	ARATE PAGES ARE ACCEPTABLE)	
Brick bearing walls. SHAPE AND DIMENSIONS OF S L shaped, (5-bay from EXTERIOR FEATURES OF NO	Foundation is local STRUCTURE (SKETCHEOFL t) 40'4" x 32' x 6" TE Brick, T-shaped, t	rubble randoml OOR PLANS ON SER		
Brick bearing walls. SHAPE AND DIMENSIONS OF SEXTERIOR FEATURES OF NOTICE is gabled with paraper with recessed door with	Foundation is local STRUCTURE (SKETCHEOFLE) to 40'4" x 32' x 6" TE Brick, T-shaped, to at gable ends and th transom and sideli	rubble randoml OOR PLANS ON SER two-and-a-half entrance has D ights on front	stories with basement. Roof	
Brick bearing walls. SHAPE AND DIMENSIONS OF SEXTERIOR FEATURES OF NOTIFICE is gabled with paraper with recessed door with there is a two-and-a-	Foundation is local STRUCTURE (SKETCHEO FL t) 40'4" x 32' x 6" TE Brick, T-shaped, to at gable ends and th transom and sidelinal for the story frame kits	rubble randoml OOR PLANS ON SER two-and-a-half entrance has D ights on front chen wing.	stories with basement. Roof oric pilasters and entablature elevation. On south elevation	
L shaped, (5-bay from EXTERIOR FEATURES OF NO is gabled with parape with recessed door withere is a two-and-a-INTERIOR FEATURES OF NOT	Foundation is local STRUCTURE (SKETCHEO FL t) 40'4" x 32' x 6" TE Brick, T-shaped, to at gable ends and th transom and sidelinal factory frame kits	rubble randoml OOR PLANS ON SER two-and-a-half entrance has D ights on front chen wing.	stories with basement. Roof oric pilasters and entablature elevation. On south elevation	
Brick bearing walls. SHAPE AND DIMENSIONS OF SEXTERIOR FEATURES OF NOTIFICE is gabled with paraper with recessed door with there is a two-and-a-	Foundation is local STRUCTURE (SKETCHEO FL t) 40'4" x 32' x 6" TE Brick, T-shaped, to at gable ends and th transom and sidelinal factory frame kits	rubble randoml OOR PLANS ON SER two-and-a-half entrance has D ights on front chen wing.	stories with basement. Roof oric pilasters and entablature elevation. On south elevation	
Brick bearing walls. SHAPE AND DIMENSIONS OF: L shaped, (5-bay from EXTERIOR FEATURES OF NO is gabled with parape with recessed door withere is a two-and-a- INTERIOR FEATURES OF NOT Central hall plan, se	Foundation is local STRUCTURE (SKETCHEOFLE) 40'4" x 32' x 6" TE Brick, T-shaped, to at gable ends and the transom and sidely half story frame kite (OESCRIBE FLOOR PLANSE efloor plans.	rubble randoml OOR PLANS ON SER two-and-a-half entrance has D ights on front chen wing.	stories with basement. Roof oric pilasters and entablature elevation. On south elevation	
Brick bearing walls. SHAPE AND DIMENSIONS OF: L shaped, (5-bay from EXTERIOR FEATURES OF NO is gabled with parape with recessed door wi there is a two-and-a- INTERIOR FEATURES OF NOT Central hall plan, se	Foundation is local STRUCTURE (SKETCHEO FL t) 40'4" x 32' x 6" TE Brick, T-shaped, the sat gable ends and the transom and sideling half story frame kits at gable floor plans. DDITIONS WITH DATES	rubble randoml OOR PLANS ON SER two-and-a-half entrance has D ights on front then wing. S, IF NOT SKETCHE	stories with basement. Roof oric pilasters and entablature elevation. On south elevation	
Brick bearing walls. SHAPE AND DIMENSIONS OF SEXTERIOR FEATURES OF NOTIFICATION AND A Original residence in extension in the rear	Foundation is local STRUCTURE (SKETCHEO FLE) 40'4" x 32' x 6" TE Brick, T-shaped, to at gable ends and the transom and sidely half story frame kits (OESCRIBE FLOOR PLANSE) the floor plans. DDITIONS WITH DATES cluded the 2 1/2 store. In 1920 the owner	rubble randoml OOR PLANS ON SER two-and-a-half entrance has D ights on front chen wing. S, IF NOT SKETCHE. ry brick struct added a wood s	stories with basement. Roof oric pilasters and entablature elevation. On south elevation	
Brick bearing walls. SHAPE AND DIMENSIONS OF: L shaped, (5-bay from EXTERIOR FEATURES OF NO is gabled with parape with recessed door withere is a two-and-a-INTERIOR FEATURES OF NOT Central hall plan, see MAJOR ALTERATIONS AND A Original residence in extension in the rear side of the brick str	Foundation is local STRUCTURE (SKETCHEOFLE) t) 40'4" x 32' x 6" TE Brick, T-shaped, the sat gable ends and the transom and sidelify half story frame kits at gable floor plans. DDITIONS WITH DATES cluded the 2 1/2 store and the shape the same transcript of the same transcript.	rubble randoml OOR PLANS ON SER two-and-a-half entrance has D ights on front chen wing. S, IF NOT SKETCHE. ry brick struct added a wood s	stories with basement. Roof oric pilasters and entablature elevation. On south elevation	
Brick bearing walls. SHAPE AND DIMENSIONS OF: L shaped, (5-bay from EXTERIOR FEATURES OF NO is gabled with parape with recessed door wi there is a two-and-a- INTERIOR FEATURES OF NOT Central hall plan, se MAJOR ALTERATIONS AND A Original residence in extension in the rear side of the brick str	Foundation is local STRUCTURE (SKETCHEOFLE) t) 40'4" x 32' x 6" TE Brick, T-shaped, the sat gable ends and the transom and sidelify half story frame kits at gable floor plans. DDITIONS WITH DATES cluded the 2 1/2 store and the shape the same transcript of the same transcript.	rubble randoml OOR PLANS ON SER two-and-a-half entrance has D ights on front chen wing. S, IF NOT SKETCHE. ry brick struct added a wood s	stories with basement. Roof oric pilasters and entablature elevation. On south elevation	
Brick bearing walls. SHAPE AND DIMENSIONS OF SET IN THE SHAPE AND DIMENSIONS OF SET IN THE SHAPE AND THE SHAPE AND A CONTROL TO THE SHAPE AND A CONTROL TO THE SHAPE AND	Foundation is local STRUCTURE (SKETCHEO FLE) 40'4" x 32' x 6" TE Brick, T-shaped, to at gable ends and the transom and sidely half story frame kits of E(OESCRIBE FLOOR PLANSOM ENDOTED TO BE SELUCTED TO THE SECULT OF THE SECUL	rubble randoml OOR PLANS ON SER two-and-a-half entrance has D ights on front chen wing. S, IF NOT SKETCHE. ry brick struct added a wood s	stories with basement. Roof oric pilasters and entablature elevation. On south elevation	
Brick bearing walls. SHAPE AND DIMENSIONS OF SETERIOR FEATURES OF NOTES abled with paraper with recessed door withere is a two-and-a-INTERIOR FEATURES OF NOTE Central hall plan, set the management of the prick structure. MAJOR ALTERATIONS AND A Original residence in extension in the rear side of the brick structure. PRESENT CONDITION AND US Demolished, 1975. OTHER INFORMATION AS API	Foundation is local STRUCTURE (SKETCHEO FLE) t) 40'4" x 32' x 6" TE Brick, T-shaped, to at gable ends and the transom and sidely half story frame kits at gable from PLANSOM of the floor plans. DDITIONS WITH DATES cluded the 2 1/2 store in 1920 the owner fracture for his shop to the PROPRIATE	rubble randoml OOR PLANS ON SER two-and-a-half entrance has D ights on front chen wing. S, IF NOT SKETCHE. ry brick struct added a wood s business.	stories with basement. Roof oric pilasters and entablature elevation. On south elevation	
Brick bearing walls. SHAPE AND DIMENSIONS OF SEXTERIOR FEATURES OF NOTIFICATION AND A CONTROL OF THE STATE O	Foundation is local STRUCTURE (SKETCHEO FLE) 40'4" x 32' x 6" TE Brick, T-shaped, to at gable ends and the transom and sidely half story frame kits of E(OESCRIBE FLOOR PLANSOM effloor plans. DDITIONS WITH DATES cluded the 2 1/2 store in 1920 the owner flucture for his shop to the property of the Pennsylvanian contacts of the Pennsyl	rubble randoml OOR PLANS ON SER two-and-a-half entrance has D ights on front chen wing. S, IF NOT SKETCHE. Ty brick struct added a wood s business.	stories with basement. Roof oric pilasters and entablature elevation. On south elevation	

COMPILER, AFFILIATION

Patricia L. Rowse and Melissa McDonald HABS Historians

, PA 17745 and Erdman, Anthony Associates, Consulting Engineers

DATE

6-14-84

ANDREW VOSBURG HOUSE

(Page 2)

(APSLEY HOUSE)

CHAIN OF TITLE:

The following is an incomplete chain of title to the land on which the structure stands. Reference is to the Clerk's Office of the County of Clinton, Pennsylvania.

- Deed August 6, 1839, recorded November 25, 1839, in Book A, page 24.

 Jeremiah Church
 To
 Hezekiah B. Packer
- Deed October 5, 1845, recorded November 22, 1845, in Book C, page 161. Hezekiah B. Packer & Catherine I., h/w.
 To
 James Locke
- Deed July 8, 1852, recorded December 26, 1856, in Book I, page 288.

 Dr. James Locke
 To
 A. Vosburg
- Deed October 25, 1858, recorded March 12, 1864, in Book N, page 387. Thomas McGhee, Sheriff
 To
 Sarah Caldwell
- Deed May 1, 1865, recorded January 31, 1867, in Book P, page 662.
 Sarah (Caldwell) Burdick & Sedwich Burdick
 To
 Anna C. Apsley
- 1893 Will written December 14, 1893 in Book C, page 311.
 Anna C. Apsley
 To
 George Apsley
- Will written September 15, 1914 in Book G, page 141.

 George Apsley
 To
 William, George, L. Dewart, Mary & Anna R. Apsley, surviving children of George and/or Anna C.
- 1901 William deceased intestate, April, 1901.
 William, George, L. Dewart, Mary & Anna R. Apsley
 To
 Lilly, George, L. Dewart, Mary & Anna R. Apsley.

- 1907 George deceased intestate, December 9, 1907. Lilly, George, L. Dewart, Mary & Anna R. Apsley
 To
 Lilly, L. Dewart, Mary & Anna R. Apsley.
- Lilly deceased intestate, March 3, 1909.
 Lilly, L. Dewart, Mary & Anna R. Apsley
 To
 L. Dewart, Mary & Anna R. Apsley; thence via survivorship and marriage to Mary (Apsley) Reardon and George A. h/s and Blanche C. Reardon h/w
 L. Dewart Apsley and Abigail Apsley, h/w Anna R. (Apsley) Heisler and John C. Heisler, h/w.
- Deed December 11, 1920, recorded January 26, 1921 in Book 94.

 Mary Apsley Reardon, John C. & Anna R. Heisler, h/w & George A. & Blanche C. Reardon, h/w.

 To

 Hand-In-Hand Hose Company No. 4.
- Deed February 4, 1948, recorded March 17, 1948, in Book 154, page 489. Hand-In-Hand Hose Company No. 4
 To
 James E. Johnson
- Deed February 2, 1973, recorded March 1, 1973, in Book 239, page 1017.

 James E. & Maude E. Johnson h/w
 To
 Commonwealth of Pennsylvania, Department of Transportation